

# Запирающие навесные замки

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [byb@nt-rt.ru](mailto:byb@nt-rt.ru) || сайт: <https://brady.nt-rt.ru/>

# Lockout Padlocks

## Lockout Padlocks

Although padlocks may seem like a commonplace device, the durability and reliability of your padlocks is critical to the safety of your employee. Brady provides a full line of padlocks that withstand harsh environmental conditions, rough handling and provide maximum safety.



## Nylon Lockout Padlocks



|                     | NEW SafeKey Nylon Lockout Padlocks                                     |                                                                                                |                                                                        |                                                                         | Traditional Nylon Lockout Padlocks                                                   |                                                                                                               |                                                                                       |                                                                                                                         |                                                                                                                 |
|---------------------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
|                     | SafeKey Compact Padlocks                                               | SafeKey Padlock with Nylon Shackle                                                             | SafeKey Padlock with Steel Shackle                                     | SafeKey Padlock with 3 in. Shackle                                      | Compact Nylon Padlocks                                                               | Nylon Padlock with Nylon Shackle                                                                              | Nylon Padlock with Steel Shackle                                                      | Long-Body Nylon Padlock                                                                                                 | Compact Cable Nylon Padlocks                                                                                    |
| Features            | Advanced security locking mechanism, color matched keys, compact size  | Advanced security locking mechanism, color matched keys, non-conductive nylon body and shackle | Advanced security locking mechanism, color matched keys, standard size | Advanced security locking mechanism, color matched keys, 3 inch shackle | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact size | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, non-conductive nylon body and shackle | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, standard size | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, 3 in. body to display additional identification | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact body and flexible cable shackle |
| Main application    | Electrical applications and small spaces                               | General safety and electrical applications                                                     | General safety applications                                            | General safety applications requiring a large shackle clearance         | Electrical applications and small spaces                                             | General safety and electrical applications                                                                    | General safety applications                                                           | General safety applications                                                                                             | Small spaces and multi-locking points in electrical applications                                                |
| Non-conductive      | Yes                                                                    | Yes                                                                                            | Yes                                                                    | Yes                                                                     | Yes                                                                                  | Yes                                                                                                           | Yes                                                                                   | Yes                                                                                                                     | Yes                                                                                                             |
| Non-sparking        | Yes                                                                    | Yes                                                                                            | No                                                                     | No                                                                      | No                                                                                   | Yes                                                                                                           | No                                                                                    | No                                                                                                                      | No                                                                                                              |
| Body (H x W)        | Nylon body<br>1.7 in. x 1.25 in.                                       | Nylon body<br>1.8 in. x 1.5 in.                                                                | Nylon body<br>1.8 in. x 1.5 in.                                        | Nylon body<br>1.8 in. x 1.5 in.                                         | Nylon body<br>1.4 in. x 1.2 in.                                                      | Nylon body<br>1.75 in. x 1.5 in.                                                                              | Nylon body<br>1.75 in. x 1.5 in.                                                      | Nylon body<br>3 in. x 1.5 in.                                                                                           | Nylon body<br>1.4 in. x 1.2 in.                                                                                 |
| Shackle             | Plastic polymer shackle<br>Height: 1.0 in.<br>Diameter: 0.17 in.       | Plastic polymer shackle<br>Height: 1.5 in.<br>Diameter: 0.25 in.                               | Steel shackle<br>Height: 1.5 in.<br>Diameter: 0.25 in.                 | Steel shackle<br>Height: 3.0 in.<br>Diameter: 0.25 in.                  | Aluminum shackle<br>Height: 1.0 in.<br>Diameter: 0.19 in.                            | Nylon shackle<br>Height: 3.0 in.<br>Diameter: 0.25 in.                                                        | Steel shackle<br>Height: 1.5 in.<br>Diameter: 0.25 in.                                | Steel shackle<br>Height: 1.5 in.<br>Diameter: 0.25 in.                                                                  | Flexible cable<br>7.87 in. or<br>15.75 in. length                                                               |
| Colors              | 9 colors                                                               | 9 colors                                                                                       | 9 colors                                                               | 9 colors                                                                | 9 colors                                                                             | 9 colors                                                                                                      | 9 colors                                                                              | 9 colors                                                                                                                | 9 colors                                                                                                        |
| Key Retaining       | No                                                                     | Yes                                                                                            | Yes                                                                    | Yes                                                                     | Yes                                                                                  | Yes                                                                                                           | Yes                                                                                   | Yes                                                                                                                     | Yes                                                                                                             |
| Key Codes           | 100,000+                                                               | 100,000+                                                                                       | 100,000+                                                               | 100,000+                                                                | Up to 15,000                                                                         | Up to 15,000                                                                                                  | Up to 15,000                                                                          | Up to 15,000                                                                                                            | Up to 15,000                                                                                                    |
| Keying              | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed* | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                         | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed* | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*  | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*               | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                        | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                                  | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                          |
| Engraving Available | Body (4 sides) and key                                                 | Body (4 sides) and key                                                                         | Body (4 sides) and key                                                 | Body (4 sides) and key                                                  | Body (4 sides) and key                                                               | Body (4 sides) and key                                                                                        | Body (4 sides) and key                                                                | Body (4 sides) and key                                                                                                  | Body (4 sides) and key                                                                                          |
| Includes            | 1 key and labels (EN, FR, SP)                                          | 1 key and labels (EN, FR, SP)                                                                  | 1 key and labels (EN, FR, SP)                                          | 1 key and labels (EN, FR, SP)                                           | 1 key and labels (EN, FR, SP)                                                        | 1 key and labels (EN, FR, SP)                                                                                 | 1 key and labels (EN, FR, SP)                                                         | 1 key and labels (EN, FR, SP)                                                                                           | 1 key and labels (EN, FR, SP)                                                                                   |

\*Available as custom.

## Regulations

**1910.147(c)(5) OSHA Lockout Device Requirements state that lockout devices must:**

- Be provided by the employer and be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else

## Aluminum and Steel Lockout Padlocks



|                     | SafeKey Aluminum Padlocks                                                              | Compact Aluminum Padlocks                                                                                      | Aluminum Padlocks                                                                                     | Laminated Steel Padlocks                                                                                           | Key-Retaining Laminated Steel Padlocks                                                                                           |
|---------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Features            | Advanced security locking mechanism, color matched keys, superior corrosion resistance | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact, superior corrosion resistance | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior corrosion resistance | Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance | Traditional key-retaining pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance |
| Main application    | Ideal for indoor and outdoor use and heavy-duty applications                           | Small space applications                                                                                       | Outdoor, industrial safety, food and beverage applications (FDA approved lubricant in cylinder)       | Industrial safety and severe physical environments                                                                 | Industrial safety and severe physical environments                                                                               |
| Non-conductive      | No                                                                                     | No                                                                                                             | No                                                                                                    | No                                                                                                                 | No                                                                                                                               |
| Non-sparking        | No                                                                                     | No                                                                                                             | No                                                                                                    | No                                                                                                                 | No                                                                                                                               |
| Body (H x W)        | Aluminum body<br>1.8 in. x 1.5 in.                                                     | Aluminum body<br>1.25 in.                                                                                      | Aluminum body<br>1.6 in.                                                                              | Steel body<br>1.33 in.                                                                                             | Steel body<br>1.2 in.                                                                                                            |
| Shackle             | Steel shackle<br>Height: 1.5 in. or 3.0 in.<br>Diameter: 0.25 in.                      | Steel shackle<br>Height: 1.0 in.<br>Diameter: 0.25 in.                                                         | Steel shackle<br>Height: 1 in., 1.5 in. or 3 in.<br>Diameter: 0.25 in.                                | Steel shackle<br>Height: 0.75 in. or 2 in.<br>Diameter: 0.27 in.                                                   | Steel shackle<br>Height: 0.75 in., 2 in. or 3 in.<br>Diameter: 0.27 in.                                                          |
| Colors              | 9 colors                                                                               | 9 colors                                                                                                       | 9 colors                                                                                              | 9 colors                                                                                                           | 9 colors                                                                                                                         |
| Key Retaining       | No                                                                                     | No                                                                                                             | No                                                                                                    | No                                                                                                                 | Yes                                                                                                                              |
| Key Codes           | 100,000+                                                                               | Up to 15,000                                                                                                   | Up to 15,000                                                                                          | Up to 15,000                                                                                                       | Up to 15,000                                                                                                                     |
| Keying              | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                 | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                         | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                             | Keyed Different<br>Keyed Alike<br>Master Keyed*<br>Grand Master Keyed*                                                           |
| Engraving Available | Body (4 sides)<br>and key                                                              | Body (4 sides)<br>and key                                                                                      | Body (4 sides)<br>and key                                                                             | Body (4 sides)<br>and key                                                                                          | Body (4 sides)<br>and key                                                                                                        |
| Includes            | 1 key<br>(labels sold separately)                                                      | 2 keys<br>(labels sold separately)                                                                             | 2 keys<br>(labels sold separately)                                                                    | 2 keys<br>(labels sold separately)                                                                                 | 1 key<br>(labels sold separately)                                                                                                |

\*Available as custom.

# Lockout Padlocks

**new**


## Brady SafeKey Lockout Padlocks

With this innovatively designed padlock, you get up to 700% more unique key possibilities than a standard safety padlock, without sacrificing a secure lockout. It's all in the forward-thinking design of the locking mechanism and unique key blade that gives you more precision and control in your lockout program. With that level of precision, you're covered from your simple to highly complex lockout needs. You also get:

- Fast identification with the color-matched key
- Easy operation with extra smooth key insertion and removal — even when wearing gloves!
- Years of use with the low-friction locking mechanism that helps maintain key integrity
- Excellent durability in industrial environments





Lockout Tagout



## More really means more with SafeKey

In your lockout scenario, here's what you get with up to 700% more unique key codes:

|                        | Other Nylon Padlocks       | SafeKey Lockout Padlocks     |                                                                                      |
|------------------------|----------------------------|------------------------------|--------------------------------------------------------------------------------------|
| <b>Keyed Different</b> | <b>15,000</b><br>Key Codes | <b>100,000+</b><br>Key Codes |   |
| <b>1 Master Key</b>    | <b>3,250</b><br>Key Codes  | <b>15,000+</b><br>Key Codes  |   |
| <b>25 Master Keys</b>  | <b>150</b><br>Key Codes    | <b>600+</b><br>Key Codes     |  |

Lockout Tagout

## Keying options for SafeKey and traditional lockout padlocks

### Standard options




#### Keyed Different (KD)

Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.

#### Keyed Alike (KA)


Each lock in the group can be opened with the same key, reducing the number of keys needed. Ideal for employees who work on multiple machines or isolation points.

### Custom options



#### Master Keyed (MK)

Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required.



#### Grand Master Keyed (GMK)

The grand master key can open all locks grouped into two or more master keyed systems. Useful when supervisory or managerial access to all locks is needed.

### Key Charting

Brady will keep a record of and "chart" all key numbers to ensure there's no unwanted key duplication on current or future orders, depending on your unique requirements.

# Lockout Padlocks

**new**

## Brady SafeKey Lockout Padlocks

### SafeKey Nylon Lockout Padlocks

- Key retaining feature within a lightweight nylon body is ideal for electrical and general lockout applications
- Two shackle options available; durable, steel shackle or polymer plastic shackle that is non-conductive and non-sparking
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.

#### SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) steel shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | NYL-RED-38ST-KD        | NYL-RED-38ST-KD6PK     | NYL-RED-38ST-KA3PK | NYL-RED-38ST-KA6PK |
| Green  | NYL-GRN-38ST-KD        | NYL-GRN-38ST-KD6PK     | NYL-GRN-38ST-KA3PK | NYL-GRN-38ST-KA6PK |
| Orange | NYL-ORG-38ST-KD        | NYL-ORG-38ST-KD6PK     | NYL-ORG-38ST-KA3PK | NYL-ORG-38ST-KA6PK |
| Blue   | NYL-BLU-38ST-KD        | NYL-BLU-38ST-KD6PK     | NYL-BLU-38ST-KA3PK | NYL-BLU-38ST-KA6PK |
| Yellow | NYL-YLW-38ST-KD        | NYL-YLW-38ST-KD6PK     | NYL-YLW-38ST-KA3PK | NYL-YLW-38ST-KA6PK |
| Brown  | NYL-BRN-38ST-KD        | NYL-BRN-38ST-KD6PK     | NYL-BRN-38ST-KA3PK | NYL-BRN-38ST-KA6PK |
| White  | NYL-WHT-38ST-KD        | NYL-WHT-38ST-KD6PK     | NYL-WHT-38ST-KA3PK | NYL-WHT-38ST-KA6PK |
| Purple | NYL-PRP-38ST-KD        | NYL-PRP-38ST-KD6PK     | NYL-PRP-38ST-KA3PK | NYL-PRP-38ST-KA6PK |
| Black  | NYL-BLK-38ST-KD        | NYL-BLK-38ST-KD6PK     | NYL-BLK-38ST-KA3PK | NYL-BLK-38ST-KA6PK |



#### SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) plastic shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | NYL-RED-38PL-KD        | NYL-RED-38PL-KD6PK     | NYL-RED-38PL-KA3PK | NYL-RED-38PL-KA6PK |
| Green  | NYL-GRN-38PL-KD        | NYL-GRN-38PL-KD6PK     | NYL-GRN-38PL-KA3PK | NYL-GRN-38PL-KA6PK |
| Orange | NYL-ORG-38PL-KD        | NYL-ORG-38PL-KD6PK     | NYL-ORG-38PL-KA3PK | NYL-ORG-38PL-KA6PK |
| Blue   | NYL-BLU-38PL-KD        | NYL-BLU-38PL-KD6PK     | NYL-BLU-38PL-KA3PK | NYL-BLU-38PL-KA6PK |
| Yellow | NYL-YLW-38PL-KD        | NYL-YLW-38PL-KD6PK     | NYL-YLW-38PL-KA3PK | NYL-YLW-38PL-KA6PK |
| Brown  | NYL-BRN-38PL-KD        | NYL-BRN-38PL-KD6PK     | NYL-BRN-38PL-KA3PK | NYL-BRN-38PL-KA6PK |
| White  | NYL-WHT-38PL-KD        | NYL-WHT-38PL-KD6PK     | NYL-WHT-38PL-KA3PK | NYL-WHT-38PL-KA6PK |
| Purple | NYL-PRP-38PL-KD        | NYL-PRP-38PL-KD6PK     | NYL-PRP-38PL-KA3PK | NYL-PRP-38PL-KA6PK |
| Black  | NYL-BLK-38PL-KD        | NYL-BLK-38PL-KD6PK     | NYL-BLK-38PL-KA3PK | NYL-BLK-38PL-KA6PK |



#### SafeKey Nylon Lockout Padlocks with 3.0 in. (76 mm) steel shackle

| Color  | Keyed Different 1/Pack |
|--------|------------------------|
| Red    | NYL-RED-76ST-KD        |
| Green  | NYL-GRN-76ST-KD        |
| Orange | NYL-ORG-76ST-KD        |
| Blue   | NYL-BLU-76ST-KD        |
| Yellow | NYL-YLW-76ST-KD        |
| Brown  | NYL-BRN-76ST-KD        |
| White  | NYL-WHT-76ST-KD        |
| Purple | NYL-PRP-76ST-KD        |
| Black  | NYL-BLK-76ST-KD        |



### Engraving

SafeKey padlocks can be laser-engraved on one to four surfaces to identify individuals, departments, work areas, serial numbers and company logos. Additionally, SafeKey keys can be engraved with up to 10 characters.



### SafeKey Padlock Labels

- Labels help send a clear message when machine is down for service or maintenance
- Keep track of your Brady SafeKey Lockout Padlocks by writing who owns that padlock on the label

| Catalog # | Description              | Size                    | Qty.    |
|-----------|--------------------------|-------------------------|---------|
| 150556    | English, French, Spanish | Compact 0.89 in x 1 in  | 6 cards |
| 150555    | English, French, Spanish | Standard 1.12 in x 1 in | 6 cards |
| 65508     | Lock Label Overlamine    | 1 in. x 6 in.           | 40      |

**new**

## Brady SafeKey Lockout Padlocks

### SafeKey Compact Nylon Lockout Padlocks

- Ideal for use in small spaces in electrical and maintenance applications
- Extremely compact and lightweight design with non-conductive and non-sparking nylon body and polymer shackle
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.7 in. H x 1.25 in. W x 0.75 in. D; shackle diameter: 0.17 in.

#### SafeKey Compact Nylon Padlocks with 1.0 in. (25 mm) plastic shackle

| Color  | Keyed Different<br>1/Pack | Keyed Different<br>6/Pack | Keyed Alike<br>3/Pack | Keyed Alike<br>6/Pack |
|--------|---------------------------|---------------------------|-----------------------|-----------------------|
| Red    | CPT-RED-25PL-KD           | CPT-RED-25PL-KD6PK        | CPT-RED-25PL-KA3PK    | CPT-RED-25PL-KA6PK    |
| Green  | CPT-GRN-25PL-KD           | CPT-GRN-25PL-KD6PK        | CPT-GRN-25PL-KA3PK    | CPT-GRN-25PL-KA6PK    |
| Orange | CPT-ORG-25PL-KD           | CPT-ORG-25PL-KD6PK        | CPT-ORG-25PL-KA3PK    | CPT-ORG-25PL-KA6PK    |
| Blue   | CPT-BLU-25PL-KD           | CPT-BLU-25PL-KD6PK        | CPT-BLU-25PL-KA3PK    | CPT-BLU-25PL-KA6PK    |
| Yellow | CPT-YLW-25PL-KD           | CPT-YLW-25PL-KD6PK        | CPT-YLW-25PL-KA3PK    | CPT-YLW-25PL-KA6PK    |
| Brown  | CPT-BRN-25PL-KD           | CPT-BRN-25PL-KD6PK        | CPT-BRN-25PL-KA3PK    | CPT-BRN-25PL-KA6PK    |
| White  | CPT-WHT-25PL-KD           | CPT-WHT-25PL-KD6PK        | CPT-WHT-25PL-KA3PK    | CPT-WHT-25PL-KA6PK    |
| Purple | CPT-PRP-25PL-KD           | CPT-PRP-25PL-KD6PK        | CPT-PRP-25PL-KA3PK    | CPT-PRP-25PL-KA6PK    |
| Black  | CPT-BLK-25PL-KD           | CPT-BLK-25PL-KD6PK        | CPT-BLK-25PL-KA3PK    | CPT-BLK-25PL-KA6PK    |



### SafeKey Compact Nylon Padlock Kits

Ideal for those needing just one lock and one tag. Kit includes:

- 1 - SafeKey Compact Nylon Padlock
- 1 - Heavy-duty Polyester Tag
- 1 - Nylon Cable Tie

| Color | Catalog # | Description                       |
|-------|-----------|-----------------------------------|
| Red   | 150938    | SafeKey Compact Nylon Padlock Kit |



### SafeKey Aluminum Lockout Padlocks

- Ideal for indoor and outdoor use and heavy-duty applications
- Aluminum padlock with steel shackle provides corrosion resistance
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.

#### SafeKey Aluminum Lockout Padlocks with 1.5 in. (38 mm) steel shackle

| Color  | Keyed Different<br>1/Pack | Keyed Different<br>6/Pack | Keyed Alike<br>3/Pack | Keyed Alike<br>6/Pack |
|--------|---------------------------|---------------------------|-----------------------|-----------------------|
| Red    | ALU-RED-38ST-KD           | ALU-RED-38ST-KD6PK        | ALU-RED-38ST-KA3PK    | ALU-RED-38ST-KA6PK    |
| Green  | ALU-GRN-38ST-KD           | ALU-GRN-38ST-KD6PK        | ALU-GRN-38ST-KA3PK    | ALU-GRN-38ST-KA6PK    |
| Orange | ALU-ORG-38ST-KD           | ALU-ORG-38ST-KD6PK        | ALU-ORG-38ST-KA3PK    | ALU-ORG-38ST-KA6PK    |
| Blue   | ALU-BLU-38ST-KD           | ALU-BLU-38ST-KD6PK        | ALU-BLU-38ST-KA3PK    | ALU-BLU-38ST-KA6PK    |
| Yellow | ALU-YLW-38ST-KD           | ALU-YLW-38ST-KD6PK        | ALU-YLW-38ST-KA3PK    | ALU-YLW-38ST-KA6PK    |
| Brown  | ALU-BRN-38ST-KD           | ALU-BRN-38ST-KD6PK        | ALU-BRN-38ST-KA3PK    | ALU-BRN-38ST-KA6PK    |
| Silver | ALU-SLV-38ST-KD           | ALU-SLV-38ST-KD6PK        | ALU-SLV-38ST-KA3PK    | ALU-SLV-38ST-KA6PK    |
| Purple | ALU-PRP-38ST-KD           | ALU-PRP-38ST-KD6PK        | ALU-PRP-38ST-KA3PK    | ALU-PRP-38ST-KA6PK    |
| Black  | ALU-BLK-38ST-KD           | ALU-BLK-38ST-KD6PK        | ALU-BLK-38ST-KA3PK    | ALU-BLK-38ST-KA6PK    |



#### SafeKey Aluminum Lockout Padlocks with 3.0 in. (76 mm) steel shackle

| Color  | Keyed Different<br>1/Pack | Keyed Different<br>6/Pack | Keyed Alike<br>3/Pack | Keyed Alike<br>6/Pack |
|--------|---------------------------|---------------------------|-----------------------|-----------------------|
| Red    | ALU-RED-76ST-KD           | ALU-RED-76ST-KD6PK        | ALU-RED-76ST-KA3PK    | ALU-RED-76ST-KA6PK    |
| Green  | ALU-GRN-76ST-KD           | ALU-GRN-76ST-KD6PK        | ALU-GRN-76ST-KA3PK    | ALU-GRN-76ST-KA6PK    |
| Orange | ALU-ORG-76ST-KD           | ALU-ORG-76ST-KD6PK        | ALU-ORG-76ST-KA3PK    | ALU-ORG-76ST-KA6PK    |
| Blue   | ALU-BLU-76ST-KD           | ALU-BLU-76ST-KD6PK        | ALU-BLU-76ST-KA3PK    | ALU-BLU-76ST-KA6PK    |
| Yellow | ALU-YLW-76ST-KD           | ALU-YLW-76ST-KD6PK        | ALU-YLW-76ST-KA3PK    | ALU-YLW-76ST-KA6PK    |
| Brown  | ALU-BRN-76ST-KD           | ALU-BRN-76ST-KD6PK        | ALU-BRN-76ST-KA3PK    | ALU-BRN-76ST-KA6PK    |
| Silver | ALU-SLV-76ST-KD           | ALU-SLV-76ST-KD6PK        | ALU-SLV-76ST-KA3PK    | ALU-SLV-76ST-KA6PK    |
| Purple | ALU-PRP-76ST-KD           | ALU-PRP-76ST-KD6PK        | ALU-PRP-76ST-KA3PK    | ALU-PRP-76ST-KA6PK    |
| Black  | ALU-BLK-76ST-KD           | ALU-BLK-76ST-KD6PK        | ALU-BLK-76ST-KA3PK    | ALU-BLK-76ST-KA6PK    |



# Lockout Padlocks

## Lockout Tagout



Actual size of  
Brady's  
Compact Nylon  
Lockout Padlock



### Compact Nylon Lockout Padlocks

- Extremely compact and lightweight
- Easily fits in small spaces making it ideal for electrical contractors, maintenance and electricians
- 5-pin cylinder can support same keying system as our current Nylon Lockout Padlock
- Fiberglass reinforced nylon body for extra impact resistance
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 1.4 in. x 1.2 in. x 0.625 in. Shackle clearance: 1 in.; shackle diameter 0.2 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels

#### Compact Nylon Lockout Padlocks with 1 in. steel shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 143150                 | 118926                 | 118953             | 118954             |
| Green  | 143152                 | 118927                 | 118955             | 118956             |
| Orange | 143154                 | 118928                 | 118957             | 118958             |
| Blue   | 143156                 | 118929                 | 118959             | 118960             |
| Yellow | 143158                 | 118930                 | 118961             | 118962             |
| Brown  | 143160                 | 118931                 | 118963             | 118964             |
| White  | 143162                 | 118932                 | 118965             | 118966             |
| Purple | 143164                 | 118933                 | 118967             | 118968             |
| Black  | 143166                 | 118934                 | 118969             | 118970             |

### Nylon Lockout Padlocks

- Complies with all OSHA requirements and are a safer alternative to metal locks
- Non-conductive body with unique key cylinder prevents electricity from traveling from the shackle to the key, protecting workers when key is inserted
- Superior temperature, chemical and corrosion resistance
- Labels provided in English, Spanish, French
- Key-retaining feature prevents key from being removed until shackle is securely closed
- Reserved paracentric keyway provides optimal security (prevents a copy from being made at a local key shop)
- Locks come keyed differently or keyed alike. Custom keying and charting available
- Lock bodies can be custom laser engraved upon request
- One key is supplied with each padlock for safer key management



### Nylon Lockout Padlocks

- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 1.75 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels

#### Nylon Lockout Padlocks with 1.25 in. steel shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 99552                  | 51339                  | 105886             | 105890             |
| Green  | 99564                  | 51345                  | 105889             | 105893             |
| Orange | 99576                  | 51347                  | 123268             | 123270             |
| Blue   | 99556                  | 51344                  | 105887             | 105891             |
| Yellow | 99570                  | 51346                  | 105888             | 105892             |
| Brown  | 103033                 | 101956                 | 118947             | 118948             |
| White  | 143123                 | 118925                 | 118949             | 118950             |
| Purple | 104919                 | 104916                 | 118951             | 118952             |
| Black  | 99580                  | 51353                  | 123269             | 123271             |

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



## Compact Nylon Padlock Kits

Ideal for any worker needing just one lock and one tag.

- 1 - Compact Padlock
- 1 - Heavy-duty Polyester Tag
- 1 - Nylon Cable Tie

| Color | Description               | Catalog # |
|-------|---------------------------|-----------|
| Red   | Compact Nylon Padlock Kit | 123143    |



## Compact Cable Padlocks

- Compact 1.31 in. x 1.25 in. nylon body with an elongated, flexible cable as the shackle
- Flexible cable means you can angle and twist padlock or lockout multiple energy isolation points with one lock

## Compact Cable Padlocks

| Color  | Cable Length    | Keyed Different 1/Pack | Keyed Alike 6/Pack |
|--------|-----------------|------------------------|--------------------|
| Red    | 7.87 in. cable  | 146120                 | 146128             |
| Red    | 15.75 in. cable | 146124                 | 146132             |
| Yellow | 7.87 in. cable  | 146121                 | 146129             |
| Yellow | 15.75 in. cable | 146125                 | 146133             |
| Blue   | 7.87 in. cable  | 146122                 | 146130             |
| Blue   | 15.75 in. cable | 146126                 | 146134             |
| Green  | 7.87 in. cable  | 146123                 | 146131             |
| Green  | 15.75 in. cable | 146127                 | 146135             |



## Nylon Lockout Padlocks with Non-Conductive Nylon Shackle

- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body with non-conductive nylon shackle
- Lock body dimensions: 1.75 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels

### Nylon Lockout Padlocks with 1.25 in. nylon shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 123324                 | 123351                 | 123333             | 123342             |
| Green  | 123326                 | 123353                 | 123335             | 123344             |
| Orange | 123328                 | 123355                 | 123337             | 123346             |
| Blue   | 123325                 | 123352                 | 123334             | 123343             |
| Yellow | 123327                 | 123354                 | 123336             | 123345             |
| Brown  | 123330                 | 123357                 | 123339             | 123348             |
| White  | 123332                 | 123359                 | 123341             | 123350             |
| Purple | 123331                 | 123358                 | 123340             | 123349             |
| Black  | 123329                 | 123356                 | 123338             | 123347             |



## Long Body Nylon Lockout Padlocks

- 3 in. long body has ample space for your most important identification information
- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 3 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English/Spanish and English/French labels

### Long Body Nylon Lockout Padlocks with 1.25 in. steel shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 123405                 | 123396                 | 123414             | 123423             |
| Green  | 123407                 | 123398                 | 123416             | 123425             |
| Orange | 123409                 | 123400                 | 123418             | 123427             |
| Blue   | 123406                 | 123397                 | 123415             | 123424             |
| Yellow | 123408                 | 123399                 | 123417             | 123426             |
| Brown  | 123411                 | 123402                 | 123420             | 123429             |
| White  | 123413                 | 123404                 | 123422             | 123431             |
| Purple | 123412                 | 123403                 | 123421             | 123430             |
| Black  | 123410                 | 123401                 | 123419             | 123428             |

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

# Lockout Padlocks



## Key-Retaining Laminated Steel Lockout Padlocks

- Key-retaining safety feature prevents key from being removed until shackle is closed
- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering, cutting, prying and rusting
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification (custom stamping available)
- Made from recycled material
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately.
- Shackle clearance: 0.75 in., 2 in. or 3 in. Shackle diameter: 0.27 in. Lock body: 1.2 in. x 1.313 in. x 1 in.



Key-Retaining Steel Lockout Padlocks with 0.75 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack |
|--------|------------------------|------------------------|
| Red    | 143126                 | 118935                 |
| Green  | 143128                 | 118936                 |
| Blue   | 143130                 | 118937                 |
| Yellow | 143132                 | 118938                 |
| White  | 143134                 | 118939                 |
| Black  | 143136                 | 118940                 |
| Brown  | 123272                 | 123280                 |
| Purple | 123273                 | 123281                 |



Key-Retaining Steel Lockout Padlocks with 2 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 143144                 | 118944                 | 118977             | 118978             |
| Green  | 143142                 | 118943                 | 118975             | 118976             |
| Blue   | 143140                 | 118942                 | 118973             | 118974             |
| Yellow | 143148                 | 118946                 | 118981             | 118982             |
| White  | 143146                 | 118945                 | 118979             | 118980             |
| Black  | 143138                 | 118941                 | 118971             | 118972             |
| Brown  | 123274                 | 123282                 | 123276             | 123278             |
| Purple | 123275                 | 123283                 | 123277             | 123279             |



Key-Retaining Steel Lockout Padlocks with 3 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 123244                 | 123236                 | 123252             | 123260             |
| Green  | 123245                 | 123237                 | 123253             | 123261             |
| Blue   | 123246                 | 123238                 | 123254             | 123262             |
| Yellow | 123247                 | 123239                 | 123255             | 123263             |
| White  | 123248                 | 123240                 | 123256             | 123264             |
| Black  | 123249                 | 123241                 | 123257             | 123265             |
| Brown  | 123250                 | 123242                 | 123258             | 123266             |
| Purple | 123251                 | 123243                 | 123259             | 123267             |

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

Lockout Tagout



## Laminated Steel Lockout Padlocks

- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately
- Shackle clearance: 0.75 in. or 2 in. Shackle diameter: 0.27 in. Lock body: 1.33 in. x 1.188 in. x 0.875 in.



Steel Lockout Padlocks with 0.75 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack |
|--------|------------------------|------------------------|
| Red    | 99500                  | 51279                  |
| Blue   | 99504                  | 51280                  |
| Green  | 99508                  | 51281                  |
| Yellow | 99512                  | 51282                  |
| Orange | 99516                  | 51283                  |
| Black  | 99520                  | 51284                  |
| Brown  | 101957                 | 102696                 |
| Purple | 104920                 | 104917                 |



Steel Lockout Padlocks with 2 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 99524                  | 51290                  | 105894             | 105898             |
| Blue   | 99528                  | 51291                  | 105895             | 105899             |
| Green  | 99533                  | 51292                  | 105897             | 105901             |
| Yellow | 99539                  | 51297                  | 105896             | 105900             |
| Orange | 99543                  | 51298                  | -                  | -                  |
| Black  | 99548                  | 51299                  | -                  | -                  |
| Brown  | 101958                 | 102698                 | -                  | -                  |
| Purple | 104921                 | 104918                 | -                  | -                  |

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



## Aluminum Lockout Padlocks

- Lightest-weight aluminum lock in the market and made from recycled material
- Aluminum shackle has superior spark and corrosion resistance
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Anodized aluminum finish gives better fade resistance when used outdoors
- FDA approved lubricant in cylinder
- Shackle clearance: 1 in., 1.25 in. or 3 in. Shackle diameter: 0.25 in.
- Compact body: 1.25 in. x 1.25 in. Regular body: 1.6 in. x 1.25 in. x 0.75 in.
- Compact body has a 5-pin cylinder. Regular body has 6-pin cylinder for more unique key changes and tamper resistance
- Each padlock includes 2 keys. Custom keying and charting also available. Lock labels sold separately



### Compact Aluminum with 1 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 133270                 | 133261                 | 133279             | 133288             |
| Blue   | 133271                 | 133262                 | 133280             | 133289             |
| Green  | 133272                 | 133263                 | 133281             | 133290             |
| Yellow | 133273                 | 133264                 | 133282             | 133291             |
| Orange | 133274                 | 133265                 | 133283             | 133292             |
| Black  | 133275                 | 133266                 | 133284             | 133293             |
| Brown  | 133276                 | 133267                 | 133285             | 133294             |
| Purple | 133277                 | 133268                 | 133286             | 133295             |
| Silver | 133278                 | 133269                 | 133287             | 133296             |

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



### Aluminum Padlocks with 1.25 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 99615                  | 51370                  | 105902             | 105882             |
| Blue   | 99616                  | 51371                  | 105903             | 105883             |
| Green  | 99617                  | 51376                  | 105881             | 105885             |
| Yellow | 99618                  | 51377                  | 105904             | 105884             |
| Orange | 99619                  | 51378                  | 123432             | 123437             |
| Black  | 99620                  | 50274                  | 123433             | 123438             |
| Brown  | 104578                 | 104579                 | 123434             | 123439             |
| Purple | 104576                 | 104577                 | 123435             | 123440             |
| Silver | 123321                 | 123323                 | 123436             | 123441             |

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



### Aluminum Padlocks with 3 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack |
|--------|------------------------|------------------------|
| Red    | 99608                  | 51360                  |
| Blue   | 99609                  | 51361                  |
| Green  | 99610                  | 51362                  |
| Yellow | 99611                  | 51363                  |
| Orange | 99612                  | 51368                  |
| Black  | 99613                  | 51369                  |
| Brown  | 104574                 | 104575                 |
| Purple | 104572                 | 104573                 |
| Silver | 123320                 | 123322                 |



### Aluminum Padlocks with 3 in. shackle

| Color  | Keyed Different 1/Pack | Keyed Different 6/Pack | Keyed Alike 3/Pack | Keyed Alike 6/Pack |
|--------|------------------------|------------------------|--------------------|--------------------|
| Red    | 123293                 | 123284                 | 123302             | 123311             |
| Blue   | 123294                 | 123285                 | 123303             | 123312             |
| Green  | 123295                 | 123286                 | 123304             | 123313             |
| Yellow | 123296                 | 123287                 | 123305             | 123314             |
| Orange | 123297                 | 123288                 | 123306             | 123315             |
| Black  | 123298                 | 123289                 | 123307             | 123316             |
| Brown  | 123299                 | 123290                 | 123308             | 123317             |
| Purple | 123300                 | 123291                 | 123309             | 123318             |
| Silver | 123301                 | 123292                 | 123310             | 123319             |

## May we also suggest:



## Custom Keying Solutions

At Brady, we can help you with your custom keying program. Just call Brady customer service to get started!



## Combination Lock

Compact lock with a steel shackle and a 4-digit re-settable code

| Catalog # | Description      |
|-----------|------------------|
| 101963    | Combination Lock |



По вопросам продаж и поддержки обращайтесь:

|                             |                            |                                 |                                |                          |
|-----------------------------|----------------------------|---------------------------------|--------------------------------|--------------------------|
| Алматы (727)345-47-04       | Иваново (4932)77-34-06     | Магнитогорск (3519)55-03-13     | Ростов-на-Дону (863)308-18-15  | Тольятти (8482)63-91-07  |
| Ангарск (3955)60-70-56      | Ижевск (3412)26-03-58      | Москва (495)268-04-70           | Рязань (4912)46-61-64          | Томск (3822)98-41-53     |
| Архангельск (8182)63-90-72  | Иркутск (395)279-98-46     | Мурманск (8152)59-64-93         | Самара (846)206-03-16          | Тула (4872)33-79-87      |
| Астрахань (8512)99-46-04    | Казань (843)206-01-48      | Набережные Челны (8552)20-53-41 | Санкт-Петербург (812)309-46-40 | Тюмень (3452)66-21-18    |
| Барнаул (3852)73-04-60      | Калининград (4012)72-03-81 | Нижний Новгород (831)429-08-12  | Саратов (845)249-38-78         | Ульяновск (8422)24-23-59 |
| Белгород (4722)40-23-64     | Калуга (4842)92-23-67      | Новокузнецк (3843)20-46-81      | Севастополь (8692)22-31-93     | Улан-Удэ (3012)59-97-51  |
| Благовещенск (4162)22-76-07 | Кемерово (3842)65-04-62    | Ноябрьск (3496)41-32-12         | Саранск (8342)22-96-24         | Уфа (347)229-48-12       |
| Брянск (4832)59-03-52       | Киров (8332)68-02-04       | Новосибирск (383)227-86-73      | Симферополь (3652)67-13-56     | Хабаровск (4212)92-98-04 |
| Владивосток (423)249-28-31  | Коломна (4966)23-41-49     | Омск (3812)21-46-40             | Смоленск (4812)29-41-54        | Чебоксары (8352)28-53-07 |
| Владикавказ (8672)28-90-48  | Кострома (4942)77-07-48    | Орел (4862)44-53-42             | Сочи (862)225-72-31            | Челябинск (351)202-03-61 |
| Владимир (4922)49-43-18     | Краснодар (861)203-40-90   | Оренбург (3532)37-68-04         | Ставрополь (8652)20-65-13      | Череповец (8202)49-02-64 |
| Волгоград (844)278-03-48    | Красноярск (391)204-63-61  | Пенза (8412)22-31-16            | Сургут (3462)77-98-35          | Чита (3022)38-34-83      |
| Вологда (8172)26-41-59      | Курск (4712)77-13-04       | Петрозаводск (8142)55-98-37     | Сыктывкар (8212)25-95-17       | Якутск (4112)23-90-97    |
| Воронеж (473)204-51-73      | Курган (3522)50-90-47      | Псков (8112)59-10-37            | Тамбов (4752)50-40-97          | Ярославль (4852)69-52-93 |
| Екатеринбург (343)384-55-89 | Липецк (4742)52-20-81      | Пермь (342)205-81-47            | Тверь (4822)63-31-35           |                          |

|                         |                           |                            |                              |                            |
|-------------------------|---------------------------|----------------------------|------------------------------|----------------------------|
| Россия +7(495)268-04-70 | Казахстан +(727)345-47-04 | Беларусь +(375)257-127-884 | Узбекистан +998(71)205-18-59 | Киргизия +996(312)96-26-47 |
|-------------------------|---------------------------|----------------------------|------------------------------|----------------------------|

эл.почта: [byb@nt-rt.ru](mailto:byb@nt-rt.ru) || сайт: <https://brady.nt-rt.ru/>