

Этикетки для принтера GlobalMar, Plus, VersaPrinter

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>

Non-Adhesive and Pre-Cut Safety Tags (B-551)

- Non-adhesive semi rigid card stock with perforations between tags
 - Tags are pre-cut with hole and chamfered corners
 - Snap-in plastic grommets available for extra strength around mounting hole
- Service temp: -40°F to 193°F; Average Outdoor Durability: up to 2 years




Figure 69



Diagram	Catalog #	B#	Header	Tag Width A Inch (mm)	Tag Height B Inch (mm)	Tags Per Row	Tags Per Roll	Rec. Ribbon
Fig. 69	121543	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121544	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121545	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739
Fig. 69	121546	B-551		3.250 (82.6)	5.750 (146.1)	1	100	76739

Right-to-Know Labels (B-595)

- Outdoor grade vinyl adhesive label in Color Bar or NFPA 704M diamond formats
- 4-color diamond or bars are pre-printed so that labels only require 1-color print pass (black) through the printer



Catalog #	B#	Legend	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Row	Labels Per Pkg	Rec. Ribbon
115763	B-595		4.000 (101.6)	6.250 (158.8)	1	170	96089
115766	B-595		2.250 (57.2)	4.000 (101.6)	1	240	96089
115772	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115765	B-595		4.000 (101.6)	4.000 (101.6)	1	240	96089
115773	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115764	B-595		4.000 (101.6)	6.250 (158.8)	1	170	96089
115767	B-595		2.250 (57.2)	4.000 (101.6)	1	240	96089
115771	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115768	B-595		2.250 (57.2)	2.250 (57.2)	1	365	96089
115770	B-595		1.125 (28.6)	3.000 (76.2)	1	300	96089
115769	B-595		1.125 (28.6)	3.000 (76.2)	1	300	96089

Overlamine for RTK Labels (B-674)

Protect your printed labels with a pressure sensitive polyester overlamine.

Catalog #	B#	Color	Label Width Inch (mm)	Label Height Inch (mm)	Labels Per Pkg
64984	B-674	Clear	1.500 (38.1)	2.500 (63.5)	50
58476	B-674	Clear	2.500 (63.5)	2.500 (63.5)	50
58706	B-674	Clear	3.500 (88.9)	5.500 (139.7)	50
64985	B-674	Clear	4.500 (114.3)	6.500 (165.1)	50

Indoor / Outdoor Grade Vinyl Tape (B-595)

- Conforms well to irregular, curved, rough and highly textured surfaces
- Low-shrink vinyl minimizes the amount of unsightly dust and grime buildup often found around the edges of other vinyl labeling supplies
- 8-10 year average outdoor durability in temperatures from -40° F to 180° F (-40° C to 82° C). Labels can be applied in temperatures from 0° F to 180° F



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	113109	B-595	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113110	B-595	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113111	B-595	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113112	B-595	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113113	B-595	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113114	B-595	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113115	B-595	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113116	B-595	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113117	B-595	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113118	B-595	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113119	B-595	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113120	B-595	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113121	B-595	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113122	B-595	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113127	B-595	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113128	B-595	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113129	B-595	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113130	B-595	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113123	B-595	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113124	B-595	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113125	B-595	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113126	B-595	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113131	B-595	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113132	B-595	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113133	B-595	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113134	B-595	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113135	B-595	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113136	B-595	Brown	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113137	B-595	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113138	B-595	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113139	B-595	Gold	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113140	B-595	Gold	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113141	B-595	Gold	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113142	B-595	Gold	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113143	B-595	Grey	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113144	B-595	Grey	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113145	B-595	Grey	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113146	B-595	Grey	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113147	B-595	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113148	B-595	Purple	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113149	B-595	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113150	B-595	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	113151	B-595	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113152	B-595	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113153	B-595	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113154	B-595	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113105	B-595	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113106	B-595	Clear	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113107	B-595	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	113108	B-595	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

Polyester Tape (B-569)

- Continuous outdoor grade polyester
- Best choice for marking stainless steel pipes and surfaces (low halide content)
- Ultra-smooth finish excellent for mounting to rigid panels and very smooth surfaces
- Applies best to very smooth surfaces



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig.33	76614	B-569	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76615	B-569	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76616	B-569	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76617	B-569	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76618	B-569	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76619	B-569	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76620	B-569	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76621	B-569	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76622	B-569	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76623	B-569	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76624	B-569	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76625	B-569	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76626	B-569	Red	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76627	B-569	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76628	B-569	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76629	B-569	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76630	B-569	Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76639	B-569	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76640	B-569	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76641	B-569	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76642	B-569	Green	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76647	B-569	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76648	B-569	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76649	B-569	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76650	B-569	Black	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76643	B-569	Brown	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76644	B-569	Brown	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76645	B-569	Brown	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76646	B-569	Brown	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76602	B-569	Tan	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76603	B-569	Tan	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76604	B-569	Tan	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76651	B-569	Grey	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76652	B-569	Grey	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76653	B-569	Grey	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76654	B-569	Grey	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76631	B-569	Purple	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76632	B-569	Purple	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76633	B-569	Purple	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76634	B-569	Purple	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76635	B-569	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76636	B-569	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76637	B-569	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76638	B-569	Orange	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76598	B-569	Pink	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76599	B-569	Pink	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76600	B-569	Pink	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76601	B-569	Pink	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76606	B-569	Lt. Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76607	B-569	Lt. Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76608	B-569	Lt. Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig.33	76609	B-569	Lt. Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76741
Fig.33	97738	B-569	Ochre	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97739	B-569	Ochre	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97740	B-569	Ochre	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97741	B-569	Ochre	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97742	B-569	Sky Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97743	B-569	Sky Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97744	B-569	Sky Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	97745	B-569	Sky Blue	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76610	B-569	Clear	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76611	B-569	Clear	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76612	B-569	Clear	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig.33	76613	B-569	Clear	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

ToughStripe® Print-On-Demand Floor Labels (B-483)

- Revolutionary B-483 material has ultra aggressive adhesive
- Withstands forklift and pallet jack traffic without tearing or lifting
- Easy 3-step process: print label, position on floor, apply overlamine
- Each roll ships with a roll of clear overlamine which must be applied over printed label and onto appropriate surface for best performance
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	142155	B-483	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142154	B-483	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142156	B-483	White	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142157	B-483	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142162	B-483	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142161	B-483	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142163	B-483	Yellow	3.000 (76.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142164	B-483	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142166	B-483	Red	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142165	B-483	Red	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142167	B-483	Red	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142169	B-483	Blue	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142168	B-483	Blue	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142170	B-483	Blue	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142172	B-483	Green	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142171	B-483	Green	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142173	B-483	Green	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142159	B-483	Black	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142158	B-483	Black	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142160	B-483	Black	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76741
Fig. 33	142175	B-483	Orange	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142174	B-483	Orange	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	142176	B-483	Orange	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739

Phosphorescent Tape (B-526)

- Permanent adhesive and glows in darkness for 10 hours
- Glows brighter and longer than B-582
- Complies with indoor use requirements specified in RS 6-1 and 6-1A of New York Local Law 26
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	105909	B-526	Phosphorescent	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	105910	B-526	Phosphorescent	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	105911	B-526	Phosphorescent	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739, 76743

Phosphorescent Tape (B-582)

- Permanent adhesive and glows in darkness for hours
- Meets ISO, and ASTM standards
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76711	B-582	Phosphorescent	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	76712	B-582	Phosphorescent	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739, 76743
Fig. 33	76713	B-582	Phosphorescent	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739, 76743

ToughWash® Tape (B-854, B-855)

- Withstands pressures of high heat, harsh chemicals and numerous washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream
- Ideal for use in the Food and Beverage industry
- Plotter-cutting shapes and text not allowed with this material



Figure 33




Figure 73



Diagram	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash Metal Detectable Material							
Fig. 33	133134	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133133	B-854		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133141	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133140	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	139812	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133139	B-854		4.000 (101.06)	6.250 (158.8)	100	134352
B-855 ToughWash Material							
Fig. 33	133159	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 33	133158	B-855		4.000 (101.06)	50 ft. (15.2 m)	1 roll (cont.)	134352
Fig. 73	133166	B-855		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133165	B-855		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	139811	B-855		4.000 (101.06)	6.250 (158.8)	100	134352
Fig. 73	133164	B-855		4.000 (101.06)	6.250 (158.8)	100	134352

Reflective Tape (B-584)

- Permanent adhesive / outdoor grade
- Shines back at viewer brightly when light shines on label
- Plotter-cutting shapes and text not allowed with this material



Figure 33




Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76705	B-584	Silver	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76706	B-584	Silver	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76707	B-584	Silver	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96060	B-584	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96061	B-584	Yellow	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	96062	B-584	Yellow	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99219	B-584	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99220	B-584	Orange	2.250 (57.2)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	99221	B-584	Orange	1.125 (28.6)	50 (15.2)	1 roll (cont.)	76739

Tag Stock Material (B-551)

- Non-adhesive tag stock meets OSHA 50 lb. pull requirement
- Grommets and hole punch available
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76714	B-551	White	4.250 (107.9)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76715	B-551	White	3.250 (82.5)	50 (15.2)	1 roll (cont.)	76739
Fig. 33	76716	B-551	White	2.500 (63.5)	50 (15.2)	1 roll (cont.)	76739

Repositionable Vinyl Tape (B-581)

- Special adhesive allows you to easily remove the label and re-apply
- Ideal for indoor marking where frequent repositioning is required
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76697	B-581	White	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76698	B-581	White	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76699	B-581	White	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76700	B-581	White	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76701	B-581	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76702	B-581	Yellow	2.250 (57.2)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76703	B-581	Yellow	1.125 (28.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76704	B-581	Yellow	0.500 (12.7)	100 (30.5)	1 roll (cont.)	76739

Magnetic Tape (B-509)

- Non-adhesive
- Print directly onto magnetic material
- Plotter-cutting shapes and text not allowed with this material




Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76686	B-509	White	4.000 (101.6)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76687	B-509	White	2.500 (63.5)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76688	B-509	Yellow	4.000 (101.6)	25 (7.62)	1 roll (cont.)	76739
Fig. 33	76689	B-509	Yellow	2.500 (63.5)	25 (7.62)	1 roll (cont.)	76739

Cold Temperature Tape (B-549)

- Permanently adheres to surfaces at temperatures as low as -10°F
- Great for use in any cold storage warehouse, cooler or freezer
- Plotter-cutting shapes and text not allowed with this material



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76691	B-549	White	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76692	B-549	White	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76693	B-549	White	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76694	B-549	Yellow	4.000 (101.6)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76695	B-549	Yellow	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76696	B-549	Yellow	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739

Metallized Polyester Tape (B-565)

- Permanent adhesive
- Non-cuttable supply suitable for continuous-style labels
- Cuttable supply ideal for multi-up, cut labels in basic rectangular and round shapes only. Not suitable for cut-out text or intricate shapes.



Figure 33



Diagram	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	76720	B-565	Non-cuttable Metallized	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76721	B-565	Non-cuttable Metallized	2.500 (63.5)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	76722	B-565	Non-cuttable Metallized	1.375 (34.9)	100 (30.5)	1 roll (cont.)	76739
Fig. 33	114533	B-565	Cuttable Metallized	4.250 (107.9)	100 (30.5)	1 roll (cont.)	76739

Transfer Tape For Cut Text

- Leaves cut characters pre-spaced for transferring from liner to the desired surface

Diagram	Catalog #	Label Width A Inch (mm)	Roll Length B Feet (m)
Fig. 33	76737	4.250 (107.9)	300 ft. (91.44 m)



Example of a
Single Color Ribbon

Examples of
Multi-Color Paneled Ribbons

GlobalMark2 Industrial Print Ribbons

- Super-tough smear-proof ribbons assure your printed text lasts for years outdoors and in an industrial environment
- Ribbons ship self-contained in cartridges that drop straight in the printer with a click
- No calibrating, threading, wasted feeding, hassles and the ink will always be facing the right direction
- 2- and 4-color paneled ribbons are used to print labels and signs containing more than 1 print color
- Patent D481,755

Single Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
76739	Black	4.110 (104.4)	200 (60.9)
134352	Black (for use with B-854 and B-855 ToughWash® material only)	4.110 (104.4)	200 (60.9)
96089	Black (for use with RTK labels)	4.110 (104.4)	200 (60.9)
76741	White	4.110 (104.4)	200 (60.9)
76743	Red	4.110 (104.4)	200 (60.9)
76745	Blue	4.110 (104.4)	200 (60.9)
76747	Green	4.110 (104.4)	200 (60.9)
76749	Magenta	4.110 (104.4)	200 (60.9)
76751	Yellow	4.110 (104.4)	200 (60.9)
76752	Orange	4.110 (104.4)	200 (60.9)
76759	Process Cyan	4.110 (104.4)	200 (60.9)
76760	Process Yellow	4.110 (104.4)	200 (60.9)
76761	Process Magenta	4.110 (104.4)	200 (60.9)

Two Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
Panels: 4.110 x 8.000 (104.4 x 203.2 mm)			
Typical yield: 100 labels (8 in.) from 8 in. paneled ribbon			
76739	Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76763	Black and Red	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
110220	Red and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76775	Black and Blue	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76767	Black and Yellow	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76771	Black and Orange	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76779	Black and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
Panels: 4.110 x 16.000 (104.4 x 406.4 mm)			
Typical yield: 60 labels (16 in.) from 16 in. paneled ribbon			
76762	Black and Red	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76774	Black and Blue	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76766	Black and Yellow	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76770	Black and Orange	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76778	Black and Green	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76782	Red and Blue	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)

Four Color Print Ribbons

Catalog #	Color	Size Inch (mm)	Length
Panels: 4.110 x 8.000 (104.4 x 203.2 mm)			
Typical yield: 50 labels (8 in.) from 8 in. paneled ribbon			
76787	Black, Red, Blue and Green	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
110221	Red, Green, Yellow and Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76791	Black, Red, Blue and Yellow	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
76795	Cyan, Magenta, Yellow and Black	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
51447	Black, Red, Orange and Blue	4.110 x 8.000 (104.4 x 203.2 mm) panels	200 (60.9)
Panels: 4.110 x 16.000 (104.4 x 406.4 mm)			
Typical yield: 30 labels (16 in.) from 16 in. paneled ribbon			
76786	Black, Red, Blue and Green	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76790	Black, Red, Blue and Yellow	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)
76794	Cyan, Magenta, Yellow and Black	4.110 x 16.000 (104.4 x 406.4 mm) panels	200 (60.9)

Labelizer® Plus and VersaPrinter™ Supplies

The Labelizer PLUS and VersaPrinter have been discontinued, but for a limited time Brady will continue to stock labels for these printers.



Labelizer® Plus
Industrial Labeling System



VersaPrinter™
Label and Sign Maker

Indoor / Outdoor Vinyl Tape with Ribbon (B-595)

- Conforms well to irregular, curved or rough surfaces
- Ideal for general purpose industrial uses – stands up to grease, oil and most industrial chemicals

8-10 year average outdoor durability in temperatures from 180° F to -40° F (82° C to -40° C).
Can be applied as low as 0° F (-18° C)



Catalog #	B#	Ribbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
142760	B-595	Black on Clear	0.500 (12.7)	90 (27.4)	2
142759	B-595	Black on Clear	1.125 (28.6)	90 (27.4)	2
142758	B-595	Black on Clear	2.250 (57.2)	90 (27.4)	1
142757	B-595	Black on Clear	4.000 (101.6)	90 (27.4)	1
142762	B-595	White on Clear	2.250 (57.2)	90 (27.4)	1
142765	B-595	Black on Green	1.125 (28.6)	90 (27.4)	2
142764	B-595	Black on Green	2.250 (57.2)	90 (27.4)	1
142763	B-595	Black on Green	4.000 (101.6)	90 (27.4)	1
142750	B-595	Black on Yellow	0.500 (12.7)	90 (27.4)	2
142749	B-595	Black on Yellow	1.125 (28.6)	90 (27.4)	2
142748	B-595	Black on Yellow	2.250 (57.2)	90 (27.4)	1
142747	B-595	Black on Yellow	3.000 (76.2)	90 (27.4)	1
142746	B-595	Black on Yellow	4.000 (101.6)	90 (27.4)	1
142769	B-595	White on Green	0.500 (12.7)	90 (27.4)	2
142768	B-595	White on Green	1.125 (28.6)	90 (27.4)	2
142767	B-595	White on Green	2.250 (57.2)	90 (27.4)	1
142766	B-595	White on Green	4.000 (101.6)	90 (27.4)	1
142777	B-595	White on Blue	0.500 (12.7)	90 (27.4)	2
142776	B-595	White on Blue	1.125 (28.6)	90 (27.4)	2
142775	B-595	White on Blue	2.250 (57.2)	90 (27.4)	1
142774	B-595	White on Blue	4.000 (101.6)	90 (27.4)	1
142772	B-595	White on Red	0.500 (12.7)	90 (27.4)	2
142773	B-595	White on Red	1.125 (28.6)	90 (27.4)	2
142771	B-595	White on Red	2.250 (57.2)	90 (27.4)	1
142770	B-595	White on Red	4.000 (101.6)	90 (27.4)	1
142756	B-595	Black on Orange	0.500 (12.7)	90 (27.4)	2
142755	B-595	Black on Orange	1.125 (28.6)	90 (27.4)	2
142754	B-595	Black on Orange	2.250 (57.2)	90 (27.4)	1
142753	B-595	Black on Orange	4.000 (101.6)	90 (27.4)	1
142785	B-595	Black on Gray	0.500 (12.7)	90 (27.4)	2
142784	B-595	Black on Gray	1.125 (28.6)	90 (27.4)	2
142783	B-595	Black on Gray	2.250 (57.2)	90 (27.4)	1
142782	B-595	Black on Gray	4.000 (101.6)	90 (27.4)	1
142793	B-595	White on Brown	1.125 (28.6)	90 (27.4)	2
142792	B-595	White on Brown	2.250 (57.2)	90 (27.4)	1
142791	B-595	White on Brown	4.000 (101.6)	90 (27.4)	1
142787	B-595	White on Tan	1.125 (28.6)	90 (27.4)	2
142786	B-595	White on Tan	2.250 (57.2)	90 (27.4)	1
142790	B-595	White on Magenta	1.125 (28.6)	90 (27.4)	2
142789	B-595	White on Magenta	2.250 (57.2)	90 (27.4)	1
142788	B-595	White on Magenta	4.000 (101.6)	90 (27.4)	1
142781	B-595	White on Black	0.500 (12.7)	90 (27.4)	2
142780	B-595	White on Black	1.125 (28.6)	90 (27.4)	2
142779	B-595	White on Black	2.250 (57.2)	90 (27.4)	1
142778	B-595	White on Black	4.000 (101.6)	90 (27.4)	1

Labelizer® Plus and VersaPrinter™ Supplies

Low-Halide Polyester Tape (B-569)


- Specially designed with a low halide content – best choice for use on stainless steel and nickel piping and other smooth surfaces
- 8-10 year average outdoor durability in temperatures from 180° F to -40° F (82° C to -40° C) and can be applied as low as 0° F (-18° C)



Catalog #	B#	Ribbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
64347	B-569	Black on Clear	1.125 (28.6)	110 (33.5)	2
64348	B-569	Black on Clear	2.250 (57.2)	110 (33.5)	1
64349	B-569	Black on Clear	4.000 (101.6)	110 (33.5)	1
64331	B-569	White on Green	1.125 (28.6)	110 (33.5)	2
64332	B-569	White on Green	2.250 (57.2)	110 (33.5)	1
64333	B-569	White on Green	4.000 (101.6)	110 (33.5)	1
64335	B-569	White on Blue	1.125 (28.6)	110 (33.5)	2
64336	B-569	White on Blue	2.250 (57.2)	110 (33.5)	1
64339	B-569	White on Red	1.125 (28.6)	110 (33.5)	2
64340	B-569	White on Red	2.250 (57.2)	110 (33.5)	1
64355	B-569	Black on White	1.125 (28.6)	110 (33.5)	2
64356	B-569	Black on White	2.250 (57.2)	110 (33.5)	1
64357	B-569	Black on White	4.000 (101.6)	110 (33.5)	1

Reflective Tape (B-584)

- Reflective capabilities are ideal for reading labels in low light areas both indoors and out



Catalog #	B#	Ribbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
64739	B-584	Black on White	1.125 (28.6)	75 (22.8)	2
64740	B-584	Black on White	2.250 (57.2)	75 (22.8)	1
64741	B-584	Black on White	4.000 (101.6)	75 (22.8)	1
64401	B-584	Black on Orange	2.250 (57.2)	58 (17.7)	1
64402	B-584	Black on Orange	4.000 (101.6)	75 (22.8)	1
64403	B-584	Black on Yellow	1.125 (28.6)	69 (21.0)	2
64404	B-584	Black on Yellow	2.250 (57.2)	58 (17.7)	1
64405	B-584	Black on Yellow	4.000 (101.6)	75 (22.8)	1

Overlaminates (B-674)

- Hand apply overlaminate after label is applied for improved label durability



Catalog #	B#	Ribbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Cartridges Per Pkg.
25966	B-674	Clear	0.750 (19.05)	30 (9.1)	1
25967	B-674	Clear	1.375 (34.9)	30 (9.1)	1
25968	B-674	Clear	2.500 (63.5)	30 (9.1)	1
25969	B-674	Clear	4.250 (107.9)	30 (9.1)	1

Repositionable Vinyl Tape (B-581)

- Special adhesive allows easy removal of label with reapplication again and again
- Ideal for indoor use where frequent repositioning is required, such as storage shelves



Catalog #	B#	Ribbon and Tape Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Tape Cartridges Per Pkg. (Ribbon included in cartridge)
64731	B-581	Black on White	1.125 (28.6)	90 (27.4)	2
64732	B-581	Black on White	2.250 (57.2)	90 (27.4)	1
64733	B-581	Black on White	4.000 (101.6)	90 (27.4)	1
64735	B-581	Black on Yellow	1.125 (28.6)	90 (27.4)	2
64736	B-581	Black on Yellow	2.250 (57.2)	90 (27.4)	1
64737	B-581	Black on Yellow	4.000 (101.6)	90 (27.4)	1



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>