

Этикетки для принтера BMP21-PLUS

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>

Indoor and Outdoor Vinyl for Safety, Facility and Lean 5S (B-595)

Continuous vinyl material is ideal for lean 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use. 8-10 years average outdoor durability.* Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.




Figure 33b



Figure	Catalog Number	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	** M21-250-595-WT	B-595	Vinyl	Black on White	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-375-595-WT	B-595	Vinyl	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-500-595-WT	B-595	Vinyl	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-750-595-WT	B-595	Vinyl	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	** M21-250-595-YL	B-595	Vinyl	Black on Yellow	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-375-595-YL	B-595	Vinyl	Black on Yellow	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-500-595-YL	B-595	Vinyl	Black on Yellow	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-750-595-YL	B-595	Vinyl	Black on Yellow	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-375-595-OR	B-595	Vinyl	Black on Orange	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-500-595-OR	B-595	Vinyl	Black on Orange	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-750-595-OR	B-595	Vinyl	Black on Orange	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-375-595-BK	B-595	Vinyl	White on Black	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-500-595-BK	B-595	Vinyl	White on Black	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-750-595-BK	B-595	Vinyl	White on Black	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-375-595-RD	B-595	Vinyl	White on Red	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-500-595-RD	B-595	Vinyl	White on Red	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-750-595-RD	B-595	Vinyl	White on Red	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-375-595-BL	B-595	Vinyl	White on Blue	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-500-595-BL	B-595	Vinyl	White on Blue	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-750-595-BL	B-595	Vinyl	White on Blue	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-375-595-BR	B-595	Vinyl	White on Brown	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-500-595-BR	B-595	Vinyl	White on Brown	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-750-595-BR	B-595	Vinyl	White on Brown	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-375-595-GN	B-595	Vinyl	White on Green	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-500-595-GN	B-595	Vinyl	White on Green	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-750-595-GN	B-595	Vinyl	White on Green	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-375-595-PL	B-595	Vinyl	White on Purple	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-500-595-PL	B-595	Vinyl	White on Purple	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-750-595-PL	B-595	Vinyl	White on Purple	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4400
Fig. 33b	M21-375-595-GY	B-595	Vinyl	Black on Gray	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-500-595-GY	B-595	Vinyl	Black on Gray	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-750-595-GY	B-595	Vinyl	Black on Gray	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6000

*Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.

** Cartridge is only compatible with the BMP®21-PLUS printer.

Patch Panel Adhesive Strips (B-499 and B-595)

Port identification with user-specified spacing when using patch panel mode




Figure 33b



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
B-499 Nylon Cloth								
Fig. 33b	M21-375-499	B-499	Nylon Cloth	Black on White	0.375 (9.53)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-500-499	B-499	Nylon Cloth	Black on White	0.500 (12.70)	16 (4.88)	1 roll (cont.)	R4300
B-595 Vinyl								
Fig. 33b	M21-375-595-WT	B-595	Vinyl	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6000
Fig. 33b	M21-500-595-WT	B-595	Vinyl	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6000

Terminal Block Adhesive Strips (B-499)

- Narrow nylon cloth label strips for alignment on terminal blocks
- Prints with user-specified spacing when using terminal block mode




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	M21-375-499-TB	B-499	Nylon Cloth	Black on White	0.375 (9.53)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-500-499-TB	B-499	Nylon Cloth	Black on White	0.500 (12.70)	16 (4.88)	1 roll (cont.)	R4300

Nylon Cloth Wire and Cable Labels (B-499)

- Nylon cloth wrap-around label is highly pliable, conforming to tightly curved surfaces
- Text auto-repeats when in wire marker mode
- Can be used for flagging with flag mode in printer



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	M21-375-499	B-499	Nylon Cloth	Black on White	0.375 (9.53)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-500-499	B-499	Nylon Cloth	Black on White	0.500 (12.70)	16 (4.88)	1 roll (cont.)	R4300
Fig. 33b	M21-750-499	B-499	Nylon Cloth	Black on White	0.750 (19.05)	16 (4.88)	1 roll (cont.)	R4300

Self-Laminating Vinyl Wire and Cable Labels (B-427)

- Clear, wrap-around tail overlaminates white print-on area to protect text
- Great for data cables or wires that are frequently handled and moved
- US Patent No. 8,846,171




Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Label Width A Inch (mm)	Roll Length B Feet (m)	Print-On Height C Inch (mm)	Labels Per Roll	Ribbon in Cartridge
Fig. 42b	* M21-750-427	B-427	Vinyl	Black on White	16 to 10	0.75 (19.05)	14 (4.27)	0.375 (9.53)	1 roll (cont.)	R4300
Fig. 42b	* M21-1000-427	B-427	Vinyl	Black on White	12 to 10	1.00 (25.40)	14 (4.27)	0.375 (9.53)	1 roll (cont.)	R4300
Fig. 42b	* M21-1250-427	B-427	Vinyl	Black on White	10 to 4	1.25 (30.48)	14 (4.27)	0.50 (12.70)	1 roll (cont.)	R4300
Fig. 42b	* M21-1500-427	B-427	Vinyl	Black on White	10 to 4	1.50 (38.10)	14 (4.27)	0.50 (12.70)	1 roll (cont.)	R4300

* Cartridge is only compatible with the BMP®21-PLUS and BMP®21 printers.

PermaSleeve® PS Heat-shrink Wire Markers (B-342)

- 3:1 shrink ratio, wire marker sleeve
- Polyolefin fade-resistant, flame-retardant and superior aesthetic appearance
- Meets SAE, MIL-STD specs



Figure	Catalog #	B#	Material	Color	Approx. Wire Gauge	Max Wire Dia. Inch (mm)	Supplied Dia. A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	*** M21-125-C-342	B-342	Polyolefin	Black on White	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.125 (3.2)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-187-C-342	B-342	Polyolefin	Black on White	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.187 (4.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-250-C-342	B-342	Polyolefin	Black on White	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.250 (6.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-375-C-342	B-342	Polyolefin	Black on White	12 to 4	0.125 - 0.320 (3.2 - 8.1)	0.375 (10.7)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-125-C-342-YL	B-342	Polyolefin	Black on Yellow	22 to 16	0.046 - 0.110 (1.2 - 2.8)	0.125 (3.2)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-187-C-342-YL	B-342	Polyolefin	Black on Yellow	20 to 10	0.062 - 0.150 (1.6 - 3.8)	0.187 (4.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-250-C-342-YL	B-342	Polyolefin	Black on Yellow	16 to 8	0.094 - 0.215 (2.4 - 5.5)	0.250 (6.9)	7 (2.13)	1 roll (cont.)	R4300
Fig. 33b	** M21-375-C-342-YL	B-342	Polyolefin	Black on Yellow	12 to 4	0.125 - 0.320 (3.2 - 8.1)	0.375 (10.7)	7 (2.13)	1 roll (cont.)	R4300

Polyester Labels for Inside Panel Markings and General ID (B-423, B-430 and B-488)

High performance white or clear polyester material that is best for use on smooth, flat surfaces

- B-488 polyester is a solvent-resistant material
- B-499 nylon cloth or B-595 vinyl label materials are recommended if surface is highly textured




Figure 33b



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
B-423 Polyester (gloss white)								
Fig. 33b	* M21-250-423	B-423	Polyester	Black on White	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-375-423	B-423	Polyester	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-500-423	B-423	Polyester	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-750-423	B-423	Polyester	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6200
B-430 Polyester (clear)								
Fig. 33b	* M21-250-430	B-430	Polyester	Black on Clear	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-375-430	B-430	Polyester	Black on Clear	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-500-430	B-430	Polyester	Black on Clear	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-750-430	B-430	Polyester	Black on Clear	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	* M21-250-430-WT-CL	B-430	Polyester	White on Clear	0.250 (6.35)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-375-430-WT-CL	B-430	Polyester	White on Clear	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-500-430-WT-CL	B-430	Polyester	White on Clear	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R6200
Fig. 33b	M21-750-430-WT-CL	B-430	Polyester	White on Clear	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R6200
B-488 Polyester (matte white)								
Fig. 33b	M21-375-488	B-488	Polyester	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-500-488	B-488	Polyester	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-750-488	B-488	Polyester	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300

* Cartridge is only compatible with the BMP®21-PLUS printer.

Laboratory Labels (B-461 and B-7425)

- B-461 features clear, wrap-around tail that overlaminates white print-on area to protect text
- B-7425 economical white polypropylene is chemical and high-temperature resistant




Figure 33b



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
B-461 Self-Laminating Polyester								
Fig. 33b	M21-375-461	B-461	Polyester	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-500-461	B-461	Polyester	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-750-461	B-461	Polyester	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300
B-7425 Polypropylene								
Fig. 33b	M21-375-7425	B-7425	Polypropylene	Black on White	0.375 (9.53)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-500-7425	B-7425	Polypropylene	Black on White	0.500 (12.70)	21 (6.40)	1 roll (cont.)	R4300
Fig. 33b	M21-750-7425	B-7425	Polypropylene	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300

Water Dissolvable Paper Labels (B-403)

Paper material completely dissolves in warm water within 30 seconds, leaving no adhesive residue



Figure 33b



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Ribbon in Cartridge
Fig. 33b	M21-750-403	B-403	Dissolvable Paper	Black on White	0.750 (19.05)	21 (6.40)	1 roll (cont.)	R4300

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>