

Универсальные впитывающие салфетки

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>

Universal Absorbency

Universal Absorbency for Water- or Oil-Based Fluids

All-purpose absorbents clean-up oils, coolants, solvents and water-based fluids anywhere in your facility.

Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects — they are your first choice for indoor spill control. Plus, their gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated.





Liquids absorbed

- Coolants
- Solvents
- Oils
- Latex paint
- Gasoline
- Vegetable oil
- Kerosene
- Water-based fluids

Popular applications

- Wiping tools
- Small spills
- Under leaky pipes
- Around liquid storage containers
- Around machinery
- In messy traffic areas
- Under dripping valves
- General purpose maintenance



MRO Plus® Absorbents

- Brady SPC's number one universal absorbent and the standard in all-purpose, gray maintenance absorbents
- Universal absorbency handles most fluids (water, petroleum and chemical-based)
- 3-ply (MMM) meltblown polypropylene construction increases durability and reduces lint

Features


- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability
- Medium linting
- Perforated and dimpled
- Gray color masks spills
- Heavy, medium and light weights
- Cost: \$ \$ \$

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas and liquid storage areas

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
MRO50	Heavy-weight pad	30 in. x 30 in.	Yes, 15 in.	12.5	41	26.5	11	50/case
MRO150DND	Heavy-weight pad *	15 in. x 19 in.	Yes, 7.5 in.	12.5	39	27	18	150/case
MRO100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case
MRO100-2	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	13.5	8	36	50/bale
MRO300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14	30	100/case
Rolls								
MRO30-DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	49	32	12	1/case
MRO30P	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	12.5	49	32	12	1/case
MRO30	Heavy-weight roll	30 in. x 150 ft.	No	12.5	49	33	12	1/case
MRO15-DP	Heavy-weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	24	17.5	24	1/case
MRO15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
MRO15	Heavy-weight roll	15 in. x 150 ft.	No	12.5	24	17.5	24	1/case
MRO350-DP	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case
MRO315P	Medium-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	20	14	24	1/case
MRO215P	Light-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	12	8	24	1/bale

*Features Dispense-N-Dispose® System



GP “General Purpose” Absorbents

- Economical general purpose absorbents offer the look, feel and performance of a premium product
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Efficient single-ply construction with MAXX® Technology — absorption and strength without the extra weight

Features

- For oils, coolants, solvents and water-based fluids
- No coverstock (1-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Gray color masks spills
- Heavy, medium and light weights
- Cost: \$ \$

Recommended applications

- Anywhere there is a leak, spill or drip
- Ideal for industrial settings such as machine shops, maintenance or manufacturing
- Under leaky pipes and machinery

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
GP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	30	12	30	100/case
GP300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	25	10	30	100/bale
GP200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	44	16	22	200/case
GP500	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	22	8.2	30	100/case
MXU1000	Light-weight pad (non-dimpled)	15 in. x 19 in.	Yes, 7.5 in.	24	27	8	30	100/case
Rolls								
GP30	Heavy-weight roll	30 in. x 150 ft.	No	13	48	28	12	1/bale



BASIC Universal Absorbents

- Value-priced universal all-purpose absorbent
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Economical single-ply pads and rolls made of universal meltblown polypropylene

Features

- For oils, coolants, solvents and water-based fluids
- No coverstock (1-ply)
- Light durability
- High linting
- Perforated and dimpled
- Gray color masks spills
- Heavy and light weights
- Cost: \$

Recommended applications

- Anywhere there is a leak, spill or drip
- General industrial applications
- Manufacturing, printing and transportation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPU100	Heavy-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	20.5	8.5	30	100/bale
BPU200	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	34	13.7	24	200/bale
BPU500	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	17	7	36	100/bale
Rolls								
BRU150	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	1/bale
BRU152	Heavy-weight split roll	15 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	2/bale

Universal Absorbency



BattleMat® Absorbents

- Tough camouflage-patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Durable 2-ply construction is ideal for use in high traffic areas — foot or forklift traffic
- Abrasion-resistant upper layer helps reduce linting while meltblown fibers grip the floor below

Features

- For oils, coolants, solvents and water-based fluids
- Camouflaged-printed top coverstock (2-ply)
- High durability and low linting
- Perforated
- Camouflaged pattern masks spills
- Cost: \$ \$ \$

Recommended applications

- Extra tough for foot and forklift traffic
- Walkways and high traffic areas
- Where there's a need to mask spills
- Under assembly lines, equipment or vehicles

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
BM30	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	53	34.5	12	1/case
BM15	Heavy-weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	26	17	24	1/case



HT "High Traffic" Absorbents

- Multi-use absorbent built for durability and high absorbency in "high traffic" areas
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 2-ply construction coverstock reduces linting and increases durability while meltblown fibers grip the floor below
- Printed safety message warns of slip, trip and fall hazards due to liquid spills

Features

- For oils, coolants, solvents and water-based fluids
- Top coverstock (2-ply) with safety message
- Medium durability and low linting
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: \$ \$

Recommended applications

- Extra tough for foot traffic and walkways
- Printed safety message for areas where slips, trips and falls may occur

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
HT30	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	47	32	12	1/case
HT555	Heavy-weight roll*	15 in. x 150 ft.	Triple perf, 5 in. and every 18 in.	12.5	23	16	24	1/case
HT15	Heavy-weight roll	15 in. x 150 ft.	Yes, every 15 in.	12.5	23	16	24	1/case
HT303	Medium-weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	63	40	8	1/bale
HT350	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 18 in.	12.5	35	20	12	1/bale
HT153	Medium-weight roll	15 in. x 300 ft.	Yes, every 15 in.	12.5	32	20	16	1/bale
HT230	Light-weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	42.5	29.5	8	1/bale
HT215	Light-weight roll	15 in. x 300 ft.	Yes, every 15 in.	12.5	21.5	15	16	1/bale

* Does not include printed safety message.



UXT “Xtra Tough” Absorbents

- Extra tough absorbents for applications that require high durability, non-linting and abrasion-resistance such as when wiping tools or machinery
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- 3-ply construction with 2 sides of coverstock for maximum durability and minimal linting
- Extra strength allows for wringing and re-use

Features

- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability and low linting
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: \$ \$ \$

Recommended applications

- Wiping highly abrasive surfaces such as tools and machinery
- Machining, maintenance or food processing

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
UXT100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	19.5	14.5	30	100/case
UXT300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	17	12	30	100/case
UXT200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	11	31.5	18.5	22	200/case
Rolls								
UXT30DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	11	37	27.5	12	1/case
UXT15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	11	17	14.5	24	1/case



Spill Response Plus Universal Absorbents

- Convenient, portable size perfect for employees to fold or carry in their pockets
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Fine fiber coverstock on each side increases product versatility

Features

- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability and medium linting
- Perforated and dimpled
- Heavy weight
- Cost: \$ \$

Recommended applications

- Anywhere there is a leak, drip or spill
- Janitorial and maintenance
- Hospitality and retail

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRP100	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case
SRP200	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case
Rolls								
SRP75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	12.5	3.3	1.85	60	1/bale

Request a free sample pack today

With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

▶ Request a sample today a BradyID.com/SPC



Universal Absorbency



Re-Form™ Eco-Friendly Universal Absorbents for water- or oil-based fluids

Re-Form absorbent pads and rolls are eco-friendly, green products made of recycled materials. They feature the same universal absorbency as their polypropylene counterparts, making them ideal for coolants, solvents, oils and other water-based or petroleum-based fluids.

Re-Form absorbent materials have been tested to absorb 25-50% more than polypropylene materials, which means you'll use less product to absorb the same size spill.



Re-Form™ Pro Plus Absorbents

- The look, feel and performance of a traditional absorbent, but made from 90% recycled fibers. Supports corporate sustainability and LEED initiatives
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 3-ply construction is made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight

Features


- For oils, water-based fluid and non-aggressive chemicals
- Top and bottom coverstock (3-ply)
- Medium durability and medium linting
- Perforated and dimpled
- Heavy weight
- Cost: \$ \$ \$

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFPP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case

Re-Form absorbents are not intended for use with aggressive chemicals.



Re-Form™ XPlus Absorbents

- A medium weight absorbent with meltblown coverstock on both sides for added durability making it ideal for leaks, drips, spills and areas with light foot traffic
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 3-ply construction made from 80% recycled cellulose and absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features

- For oils, water-based fluid and non-aggressive chemicals
- Top and bottom coverstock (3-ply)
- Medium durability and medium linting
- Perforated
- Medium weight
- Cost: \$ \$ \$

Recommended applications

- Anywhere there is a leak, drip or spill
- General purpose absorbent
- Light foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFDP300	Medium-weight pad	16 in. x 18 in.	Yes, 7.5 in.	16.5	32	16.6	24	100/case
Rolls								
RFDP328-DP	Medium-weight roll	28.5 in. x 150 ft.	Yes, 14.25 in. and every 19 in.	16.5	55	33.3	8	1/case

Re-Form absorbents are not intended for use with aggressive chemicals.



Coverstock
on 1-side

Re-Form™ Plus Absorbents

- Eco-friendly, all-purpose absorbent for wiping, drips and leaks
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 2-ply construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features

- For oils, water-based fluid and non-aggressive chemicals
- Top coverstock (2-ply)
- Medium durability and medium linting
- Perforated
- Heavy, medium and light weight
- Cost: \$ \$

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under equipment or machinery

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RFP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	17	40	19.5	18	100/case
RFP300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	17	32	16	24	100/case
RFP500	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	17	24	12.7	30	100/case
Rolls								
RFP328-DP	Medium-weight roll	28.5 in. x 150 ft.	Yes, 14.25 in. and every 19 in.	17	54	30.5	8	1/case
RFP314P	Medium-weight roll	14.25 in. x 150 ft.	Yes, every 19 in.	17	30	15.5	20	1/case

Re-Form absorbents are not intended for use with aggressive chemicals.



No
coverstock

Re-Form™ Absorbents

- Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene; up to 50% more absorbent
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Single-ply nylon mesh construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features

- For oils, water-based fluid and non-aggressive chemicals
- No coverstock (1-ply)
- Light durability and high linting
- Heavy, medium and light weight
- Cost: \$

Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas with limited foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RF100	Heavy-weight pad	15 in. x 19 in.	No	17.5	40	19	18	100/case
RF300	Medium-weight pad	15 in. x 19 in.	No	17.5	32	14.8	24	100/case
RF500	Light-weight pad	15 in. x 19 in.	No	17.5	24	12	30	100/case

Re-Form absorbents are not intended for use with highly aggressive chemicals.



По вопросам продаж и поддержки обращайтесь:				
Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89	Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47	Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35	Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93
Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47