

ЦИНОВКИ И КОВРИКИ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>

Mats and Rugs

For foot and forklift traffic

Brady SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high-traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.



Liquids absorbed

- Bases and oils
- Chemicals
- Solvents
- Water-based fluids

Popular applications

- Heavy foot traffic
- Aisles and walkways
- Around workstations
- To reduce tracking liquids throughout facility

Specialty Product: Adhesive Backed



TOUGHSORB™ Permanent and Semi-Permanent Adhesive Mats

- Easy adherence for high-traffic aisles and walkways
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with an adhesive backing
- Permanent or semi-permanent adhesive backing adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls

Features

- For oils, coolants, solvents and water-based fluids
- Adhesive backing (2-ply)
- High durability
- Low linting
- Heavy and medium weight
- Cost: \$ \$ \$

Recommended applications

- Aisles and walkways
- Areas with high foot and forklift traffic
- Lining entrances and exits
- Lining tool cribs and work surfaces




Permanent adhesive mat is protected by a clear liner that must be removed prior to use.



Semi-permanent adhesive mat can be applied and removed as needed making it ideal for work surfaces.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Permanent adhesive adhesive								
AD30100	Heavy-weight roll	30 in. x 100 ft.	No	8	21	29	20	1/case
AD15100	Heavy-weight roll	15 in. x 100 ft.	No	8	11	15	40	1/case
Semi-permanent adhesive								
AD30100-BLUE	Medium-weight roll	30 in. x 100 ft.	No	8	21	29	20	1/case
AD15100-BLUE	Medium-weight roll	15 in. x 100 ft.	No	8	11	15	40	1/case



Barrier Spill Mat (BSM)

- Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with a non-skid backing
- Durable for high traffic areas and helps eliminate slippery areas and unsightly tracking
- Tear-resistant and will not curl or buckle
- Non-skid barrier backing prevents liquid from reaching the floor underneath while tacky underside reduces slips, trips and falls
- Gray color masks spills reducing the urge to replace absorbents before fully saturated

Features

- For oils, coolants, solvents and water-based fluids
- Non-skid backing (2-ply)
- High durability
- Low linting
- Medium weight
- Cost: \$ \$ \$

Recommended applications

- Ideal for high-traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
BSM100	Medium-weight rug	36 in. x 100 ft.	No	8	25	24	20	1/bale



BRIGHTSORB® High-Visibility Barrier-Backed Mat

- Absorbency, signage and durability all in one
- Universal absorbency to handle most fluids (water, petroleum and chemical based).
- Product will not react with aggressive fluids
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for durability
- Barrier backing prevents liquid from reaching the floor underneath
- Printed safety message warns of slips, trips and falls
- Brightly color-coded for safety and easy separation of hazardous waste

Features

- For oils, coolants, solvents and water-based fluids
- Safety-printed coverstock and barrier backing (3-ply)
- High durability
- Low linting
- Heavy weight
- Cost: \$ \$ \$

Recommended applications

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CHBB100	Heavy-weight pad	15 in. x 19 in.	No	11.7	21	15.8	30	100/case
Rolls								
CHBB30	Heavy-weight roll	30 in. x 100 ft.	No	11.7	27	22	12	1/bale
CHBB15	Heavy-weight roll	15 in. x 100 ft.	No	11.7	13	11	24	1/bale

Need to know OSHA regulation

29 CFR 1910.22(a)(2) – Walking-Working Surfaces

The floor of every workroom shall be maintained in a clean and, so far as possible, dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.

Mats and Rugs



High-Traffic (HT) Barrier-Backed Mat

- Universal absorbent with added durability to stand up to the toughest conditions
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for durability
- Printed safety message reminds workers to use caution near high-risk slip, trip and fall areas
- Barrier backing prevents liquid from reaching the floor underneath
- Gray color masks spills, reducing the urge to replace them before they are fully saturated

Features

- For oils, coolants, solvents and water-based fluids
- Safety-printed coverstock and barrier backing (3-ply)
- High durability
- Low linting
- Heavy weight
- Cost: \$ \$ \$

Recommended applications

- Aisles and walkways
- High-traffic areas prone to leaks, drips and spills
- Areas where a subtle safety messaging is desired

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
HTBB100	Heavy-weight pad	15 in. x 19 in.	No	10.1	18	14.8	30	100/case
Rolls								
HTBB30	Heavy-weight roll	30 in. x 100 ft.	No	10.1	23	20	12	1/bale
HTBB15	Heavy-weight roll	15 in. x 100 ft.	No	10.1	12	10	24	1/bale

Absorbents



TrackMat Matting

- The ultimate barrier absorbent for high-volume petroleum spills
- Universal absorbency to handle most fluids (water, petroleum and chemical based)
- Extremely durable absorbent with UV-resistant top layer makes it ideal for outdoor use
- Non-slip barrier backing prevents liquids from penetrating into the ground
- Dimples add durability and reduce linting

Features

- For oils, coolants, solvents and water-based fluids
- Non-slip barrier backing (2-ply)
- High durability
- Low linting
- Heavy weight
- Cost: \$ \$ \$

Recommended applications

- Where strength, absorbency and impermeability are needed
- Transportation companies
- Refineries and steel mills
- Railway or military

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
TM58	Heavy-weight roll	58 in. x 80 ft.	No	9	55	34	9	1/bale
TM29	Heavy-weight roll	29 in. x 80 ft.	No	9	20	24	18	1/bale
TM19	Heavy-weight roll	19 in. x 80 ft.	No	9	26	32	18	2/bale



Sorbent Industrial Rug (SIR)

- Designed for moderate traffic areas and workstations where there's a need for clean and safe work floors and walkways
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable, needle-punched polypropylene fibers for moderate traffic areas (1-ply)
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Gray color masks spills reducing the urge to replace absorbents before fully saturated

Features

- For oils, coolants, solvents and water-based fluids
- Needle-punched polypropylene (1-ply)
- High durability
- Low linting
- Heavy weight
- Cost: \$ \$

Recommended applications

- Vehicles repair and service
- Warehouse and container terminal
- Surface protection during renovation
- Marine spills/wildlife preservation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Rolls								
SIR36	Heavy-weight rug	36 in. x 300 ft.	No	12.5	59	50	12	1/bale
SIR36150	Heavy-weight rug	36 in. x 150 ft.	No	12.5	29.5	25	18	1/bale



Rag Rug Matting

- Eco-friendly absorbent matting made from recycled cotton and polyester fibers
- Universal absorbency to handle most fluids (water-based and petroleum-based)
- Economy rug provides good footing, masks dirt and absorbs spills
- Ideal for maintenance, repair and industrial environments
- Eco-friendly construction supports corporate sustainability and Leadership in Energy and Environmental Design (LEED) initiatives

Features

- For oils, coolants, solvents and water-based fluids
- Recycled fibers (1-ply)
- Medium durability
- High linting
- Heavy weight
- Cost: \$

Recommended applications

- Ideal for high-traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
RAG1818	Heavy-weight pads	18 in. x 18 in.	No	9	38	32	24	50/case
Rolls								
RAG36150	Heavy-weight rug	36 in. x 150 ft.	No	9	55	47	6	1/bale
RAG24150	Heavy-weight rug	24 in. x 150 ft.	No	9	37	52	12	1/bale



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>