

Центры хранения абсорбента и комплекты для сбора разливов

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>

Absorbents and Spill Control

Drain Protection

EPA regulations require that facilities prevent fluids from entering the environment. To effectively prevent run-off from reaching storm drains, make sure to have the appropriate drain protection on hand.

Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and feature a "metal eye" for easy insertion or removal. Then rinse and re-use when finished.

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PLUG6	Drain plug	6 in.	6	50	1/case
PLUG4	Drain plug	4 in.	4	50	1/case
PLUG3	Drain plug	3 in.	3	50	1/case
PLUG2	Drain plug	2 in.	2	50	1/case



Drain Seals

- Resists water, oil and most aggressive fluids
- Easy application; soap and water clean up for re-use
- SLIKSTOPPER drain seals are made from flexible, chemical resistant PVC and help prevent spills from flowing into drainage systems
- Spill Magnet Seals are backed with a strong magnet to tightly seal drains

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
PVC42	Slikstopper	42 in. x 42 in.	46	20	1/case
PVC36	Slikstopper	36 in. x 36 in.	34	35	1/case
PVC24	Slikstopper	24 in. x 24 in.	14	40	1/case
PVC18	Slikstopper	18 in. x 18 in.	9	80	1/case
96229	Spill Magnet	12 in. dia.	1	100	1/each



SLIKSTOPPER
PVC Drain Seal



Spill Magnet™
Drain Seal

Storm Drain Guards

- Non-woven polypropylene drain guards keep oil, sediment and contaminants from entering the water system
- Holds up to 40 lbs of sediment; flow rate is 500 gpm new and 700 gpm bypass
- Select drain guards feature X-TEX filter strips which increase absorbency

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DGUARD14	Drain guard w/ X-TEX filter strips	36 in. x 48 in. x 18 in.	1.4	2	36	1/case
DGUARD1410	Drain guard w/ X-TEX filter strips	36 in. x 48 in. x 18 in.	14	20	20	10/case
DGUARD9	Drain guard	36 in. x 48 in. x 18 in.	0.9	1	36	1/case
DGUARD910	Drain guard	36 in. x 48 in. x 18 in.	9	10	20	10/case



Drip Pans and Mats

SPC spill containment products are designed with efficiency in mind — keeping your employees and work environment safe from unexpected drum spills or leaks.

Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DPA24	Drip Pan	10 in. x 10 in.	6	20	24/case



Drip Pad

- Provide additional durability to your pads for tougher environments
- 22 oz pad is made of flexible PVC
- 30 oz pad is made of XR5 for additional strength under the toughest conditions
- Grommet included to allow pad to be tied down

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DRIP1720-Y	22 oz pad	17 in. x 20 in.	2	n/a	1/each
DRIP1720-B	30 oz pad	17 in. x 20 in.	2	n/a	1/each



Spill Decks

- Low profile, 21.2-gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks — creating a 4, 6, 8 or more storage platform

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-SD2	2-drum spill deck	26 in. x 52 in. x 6 in.	21.2	2,500	31	15	1/each




Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128 gallons
- 2-drum or 4-drum configuration

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-DP4	4-drum pallet	52 in. x 52 in. x 17 in.	128	2,200	89	10	1/each
SC-DP2	2-drum pallet	26 in. x 52 in. x 17 in.	68	1,100	46.5	10	1/each
SC-DPR	Pallet ramp	32.5 in. x 70 in.	n/a	650	47.5	3	1/each



Easy loading ramp (sold separately) works with both the 2-drum and 4-drum spill pallets.



Absorbents and Spill Control

Spill Berms

These collapsible secondary containment berms can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.

Foam Side Wall Berm

- Portable, lightweight, flexible — folds up for storage and transport
- Re-useable berm is easy to clean and maintain
- Requires no assembly, tools or inflation — unfold and use immediately

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
FW181804-Y	Foam berm	18 in. x 18 in. x 4 in.	5	2	1/each
FW242404-Y	Foam berm	24 in. x 24 in. x 4 in.	9	2.4	1/each
FW363604-Y	Foam berm	36 in. x 36 in. x 4 in.	20	3.8	1/each
FW484804-Y	Foam berm	48 in. x 48 in. x 4 in.	36	5.5	1/each
FW486004-Y	Foam berm	48 in. x 60 in. x 4 in.	45	6.4	1/each
FW487204-Y	Foam berm	48 in. x 72 in. x 4 in.	54	7.4	1/each



L-ROD Berm

- Fully collapsible and can be rapidly deployed
- RF welded construction made of chemical- and hydrocarbon-resistant polyester
- Aluminum L-rods support the berm walls, but are easily folded to allow for entry/exit of vehicles or machinery
- Re-useable berm is easy to clean and maintain

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
LROD101012	L-ROD berm	10 ft. x 10 ft. x 1 ft.	675	42	1/each
LROD101512	L-ROD berm	10 ft. x 15 ft. x 1 ft.	1,010	57	1/each
LROD102012	L-ROD berm	10 ft. x 20 ft. x 1 ft.	1,350	73	1/each
LROD151512	L-ROD berm	15 ft. x 15 ft. x 1 ft.	1,520	78	1/each
LROD202012	L-ROD berm	20 ft. x 20 ft. x 1 ft.	2,695	125	1/each



Vehicle Spill Berms

- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Quantity
SB-1236	Vehicle Spill Berm	12 ft. x 36 ft. x 1 ft.	149	1/each	1/each
SB-1226	Vehicle Spill Berm	12 ft. x 26 ft. x 1 ft.	112	1/each	1/each



Absorbent Storage

Absorbent storage centers help to ensure fast spill response by keeping absorbents close to the point of need when an unplanned spill occurs.

Absorbent Centers

- Use as a deployment station or mobile spill control unit
- Fits up to a 38 inch roll and full bales of pads
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Quantity
SC-3000	Absorbent Center Without Casters	50 in. x 26 in. x 21.5 in.	50	15	1/each
SC-ACC	Accessory Pack	Includes goggles, gloves, disposal bags with ties and an emergency handbook			1 pack
SC-4	Set of 5 casters	-	n/a	n/a	1 pack
SC-MB	Wall Mount	n/a	n/a	n/a	1 each



* Absorbents sold separately.



Set Of Casters



Accessory Pack



Wall Mount

Spill Control Cart

- Steel cart with locking handle (2 keys included)
- Convenient sturdy work surface with top surface 3 inch backstop and one fixed interior shelf
- Spill control cart ships empty. Select a cart fill option designed to maximize space. Fill options include: (100) 15 in. x 19 in. pads, (8) pillows, (5) 3 in. x 4 ft. SOC's, (5) disposal bags, goggles and nitrile gloves

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SC-Cart	Spill control cart	36 in. x 18 in. x 38-3/8 in.	180	1	1/each
SC-Cart-UF	Universal fill	20 in. x 20 in. x 20 in.	31	8	1/each
SC-Cart-OF	Oil-only fill	20 in. x 20 in. x 20 in.	31	8	1/each
SC-Cart-HF	Chemical fill	20 in. x 20 in. x 20 in.	31	8	1/each



* Absorbents sold separately.

Spill Control Cabinet

- Durable construction and keyhole slots for wall hanging with 2 fully adjustable shelves
- Plexiglass window allows for easy content inventory
- Spill control cabinet ships empty. Select a cart fill option designed to maximize space. Fill options include: (50) 15 in. x 19 in. pads, (6) pillows, (4) 3 in. x 4 ft. SOC's, (5) disposal bags, goggles, handbook and nitrile gloves

Catalog #	Type	Size	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SC-Cabinet	Spill control cabinet	19-7/8 in. x 14-1/4 in. x 32-3/4 in.	45	9	1/each
SC-Cabinet-UF	Universal fill	20 in. x 20 in. x 20 in.	21	12	1/each
SC-Cabinet-OF	Oil-only fill	20 in. x 20 in. x 20 in.	21	12	1/each
SC-Cabinet-HF	Chemical fill	20 in. x 20 in. x 20 in.	21	12	1/each



* Absorbents sold separately.

High-visibility spill station signs



LOSR03A 8 in. x 8 in. Acrylic



V1SR03A 6 in. x 9 in. x 4 in. Acrylic



V2SS24A 8 in. x 15 in. x 6 in. Acrylic

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: byb@nt-rt.ru || сайт: <https://brady.nt-rt.ru/>